

المحرك الأسود/ماكينة أعاده تدوير زيت المحركات تكرير الزيوت المستعملة
لزيوت الديزل

Refined oil



Crude Oil

Distillation Plant



Diesel

Outputs & Application



ميزه

تكنولوجيا التكرير الأكثر تقدما

نظام التدفئة الكهربائية ، والمزيد من التدفئة الموحدة

لا تستخدم المكونات الكيميائية في العملية

لا حاجة لغسل النفط ، وتوفير التكلفة لشراء حمض ، القلوية.

لا نفايات الغاز والمياه العادمة ، لا غبار ، لا ضجيج

يمكن النفط المكرر الوصول إلى الديزل القياسية الثلاثة

وثناء العملية وبعدها ، لا يلاحظ تلوث التربة أو المياه أو الهواء.

وهي عملية التلوث 100 ٪ الحرة ، مما يجعل بيئة صديقة للبيئة

NO.	Name	Percentage	Useage
1	Diesel oil	80%	Add into engine using.
2	Gasoline oil	10%	Add into engine using.
3	Heavy oil	7-8%	Can put into pyrolysis machine processing Can as fuel.
4	Waste gas	2-3%	Dispose it through gas treatment system.

Waste Oil



1 Engineers available to service machinery overseas

2 Tracking service for products for two years; lifetime warranty

3 Maintenance and experiment

4 Reminding for the service life of the wearing parts(Paid to provide)

5 Whole process install, guide,training from our engineer

6 Profile database for customer