

النفائات التشفيم / زيت المحرك تقطير إلى معدات الديلزل



ODIFEI
— 欧迪菲 —

Email: doris@odifei.com.cn

Whatsapp: 0086 15225112445



Email: doris@odifei.com.cn

Whatsapp: 0086 15225112445

Refined oil



أفضلية

- (1) الحرارة بسرعة، التحكم في درجة الحرارة دقيقة
- (2) درجة عالية من الأتمتة، بلك عملية التحكم
- (3) صديقة للبيئة
- (4) جيدة الانتاج النهائي جودة النفط
- (5) توفير الطاقة
- (6) عملية سهلة

Waste Oil



Crude Oil



Transformer Oil



Engine Oil



Lube Oil



Gear Oil



Marine Oil

NO.	Name	Percentage	Useage
1	Diesel oil	80%	Add into engine using.
2	Gasoline oil	10%	Add into engine using.
3	Heavy oil	7-8%	Can put into pyrolysis machine processing Can as fuel.
4	Waste gas	2-3%	Dispose it through gas treatment system.

Waste Oil



1 Engineers available to service machinery overseas

2 Tracking service for products for two years; lifetime warranty

3 Maintenance and experiment

4 Reminding for the service life of the wearing parts(Paid to provide)

5 Whole process install, guide,training from our engineer

6 Profile database for customer

