النفايات التشحيم / زيت المحرك تقطير إلى معدات الديزل





Email: doris@odifei.com.cn

Whatsapp: 0086 15225112445





Email: doris@odifei.com.cn

Whatsapp: 0086 15225112445

Refined oil



Distillation Plant



Crude Oil

Diesel

أفضلية

(1) الحرارة بسرعة، التحكم في درجة الحرارة دقيقة

(2) درجة عالية من الأتمتة، بلك عملية التحكم

(3) صديقة للبيئة

(4) جيدة الانتاج النهائي جودة النفط

(5) توفير الطاقة

(6) عملية سهلة

Waste Oil








Crude Oil

Transformer Oil

Engine Oil







Lube Oil

Gear Oil

Marine Oil

NO.	Name	Percentage	Useage	
1	Diesel oil	80%	Add into engine using.	
2	Gasoline oil	10%	Add into engine using.	
3	Heavy oil	7-8%	Can put into pyrolysis machine processing Can as fuel.	
4	Waste gas	2-3%	Dispose it through gas treatment system.	

Waste Oil



- 1 Engineers available to service machinery overseas
- 2 Tracking service for products for two years; lifetime warranty
- Maintenance and experiment

- 4 Reminding for the service life of the wearing parts(Paid to provide)
- Whole process install, guide, training from our engineer
- 6 Profile database for customer

